

300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

October 17, 2005

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc.

LCU 11-17H

1,986' FSL & 2,106' FWL, NE/4 SW/4, Section 17, T11S, R20E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and two copies of the *Application for Permit to Drill (APD)* for the above referenced vertical well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton
Agent for Dominion

cc: Diana Whitney, Division of Oil, Gas and Mining Carla Christian, Dominion RECEIVED

OCT 2 0 2005

DIV. OF OIL. GAS & MINING

FILE COPY

CONFIDENTIAL

Form 3160-3 (February 2005)	FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007				
UNITED STATE DEPARTMENT OF THE BUREAU OF LAND MA	5. Lease Serial No. UTU-76265				
APPLICATION FOR PERMIT TO	6. If Indian, Allotee	or Tribe Name			
la. Type of work: DRILL REEN	7 If Unit or CA Agree	•			
lb. Type of Well: Oil Well Gas Well Other	8. Lease Name and V LCU 11-17H	Vell No.			
2. Name of Operator  Dominion Exploration & Production,	Inc.		9. API Well No. は	N47-37785	
3a. Address 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134	3b. Phone No. (include area code) 405-749-5263		10. Field and Pool, or E	Exploratory  - WILDCAT	
4. Location of Well (Report location clearly and in accordance with		7549	11. Sec., T. R. M. or Bl	· ·	
At surface 1,986' FSL & 2,106' FWL, NE/4 S At proposed prod. zone 1,986' FSL & 2,106' FWL, NE/4 S	swia, 610873X swia, 44126527 109.70.	3939	Section 17, T11	IS, R20E, SLB&M	
14. Distance in miles and direction from nearest town or post office* 15.94 miles south of Ouray, Utah			12. County or Parish Uintah	13. State UT	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any) 1,986'	16. No. of acres in lease 17. Spacing Unit dedicated to this well 1,040 acres 40 acres			vell	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  1,600'	19. Proposed Depth 8,375'	20. BLM/	BIA Bond No. on file 3050 0330	<del></del>	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,280' GR	22 Approximate date work will sta 12/01/2005	rt*	23. Estimated duration 14 days	ration	
	24. Attachments			<del></del>	
<ol> <li>The following, completed in accordance with the requirements of Ons</li> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest Systes SUPO must be filed with the appropriate Forest Service Office).</li> </ol>	4. Bond to cover them 20 above). m Lands, the 5. Operator certific	he operatio		existing bond on file (see	
25. Signature  Den Hamilton	Name (Printed/Typed)  Don Hamilton			Date 10/17/2005	
Title Agent for Dominion					
Approved by Kistature)	Name (Printed/Typed)  BRADI FY G HI	11		Date 75-05	
Title	ENVIRONMENTAL SCIENT	rist III			
Application approval does not warrant or certify that the applicant he conduct operations thereon.  Conditions of approval, if any, are attached.	olds legal or equitable title to those righ	ts in the sub	ject lease which would en	ntitle the applicant to	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a States any false, fictitious or fraudulent statements or representations a	crime for any person knowingly and vas to any matter within its jurisdiction.	willfully to n	nake to any department or	r agency of the United	

Federal Approval of this Action is Necessary


\*(Instructions on page 2)

RECEIVED

GCT 2 0 2005

DIV. OF OIL, GAS & MINING

## T11S, R20E, S.L.B.&M.




#### DOMINION EXPLR. & PROD., INC.

Well location, LCU #11-17H, located as shown in the NE 1/4 SW 1/4 of Section 17, T11S, R20E, S.L.B.&M. Uintah County Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M, TAKEN FROM THE BIG PACK MTN. NW, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECTOTO THE BEST OF MY KNOWLEDGE AND BELIEF

Set Marked Stone. Pile of Stones

REGISTERED LAND SURVEYOR REGISTRATION, NO. 161319 STATE OF UTAH

REVISED: 05-12-05 L.K.

#### UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST -VERNAL. UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: DATE DRAWN: 3-31-05 5-4-05		
PARTY A.F. T.C. L.K.	REFERENCES G.L.O. PLAT		
WEATHER	FILE		
COOL	DOMINION EXPLR. & PROD.,	INC	

#### LEGEND:

= 90° SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

 $\Delta$  = RE-ESTABLISHED MATHEMATICALLY GRANT BOUNDARY METHOD. (NOT SET)

#### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

(NAD 83)

LATITUDE = 39.51'31.09'' (39.858636)

LONGITUDE = 109'42'16.46" (109.704572)

(NAD 27)

LATITUDE = 39.51'31.22'' (39.858672)

LONGITUDE =  $109^42'13.97"$  (109.703881)

#### **DRILLING PLAN**

#### APPROVAL OF OPERATIONS

#### **Attachment for Permit to Drill**

Name of Operator:

 $Dominion \ Exploration \ \& \ Production$ 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 11-17H

1986' FSL & 2106' FWL Section 17-11S-20E Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

#### 2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	3,035
Green River Tongue	3,360
Wasatch	3,500
Chapita Wells	4.425
Uteland Buttes	5,555
Mesaverde	6,175

#### 3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS</u>

<u>Formation</u>	<u>Depth</u>	Type
Wasatch Tongue	3,035	Oil
Green River Tongue	3,360'	Oil
Wasatch	3,500	Gas
Chapita Wells	4,425	Gas
Uteland Buttes	5,555	Gas
Mesaverde	6,175	Gas

#### 4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

Type	Size	Weight	<u>Grade</u>	Conn.	<u>Top</u>	<u>Bottom</u>	<u>Hole</u>
Surface	8-5/8**	32.0 ppf	J-55	STC	0,	2,000	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0,	8,375	7-7/8"

Note: The drilled depth of the surface hole and the setting depth of the surface casing may vary from 1,700' to 2,000'. Should a lost circulation zone be encountered while drilling, casing will be set approximately 300' below the lost circulation zone. If no lost circulation zone is encountered, casing to be set at 2,000'±.



#### **DRILLING PLAN**

#### **APPROVAL OF OPERATIONS**

#### 5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

<u>Surface hole</u>: No BOPE will be utilized. Air foam mist, rotating head and diverter system will be utilized. <u>Production hole</u>: Prior to drilling out the surface casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from intermediate casing to total depth. The blind rams will be tested once per day from intermediate casing to total depth if operations permit.

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling below the intermediate casing shoe. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

#### 6. MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.

<u>Depths</u>	Mud Weight (ppg)	Mud System
$0^{\circ} - 2.000^{\circ}$	8.4	Air foam mist, rotating head and diverter
$2,000^{\circ} - 8,375$	8.6	Fresh water/2% KCL/KCL mud system

#### 7. BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 100' from the wellhead.

#### 8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

#### 9. TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to surface casing.
- The gamma ray will be left on to record from total depth to surface casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to surface casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

#### 10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

#### **DRILLING PLAN**

#### **APPROVAL OF OPERATIONS**

#### 11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

#### 12. CEMENT SYSTEMS

#### a. Surface Cement:

- Drill 12-1/4" hole to 2,000'±, run and cement 8-5/8" to surface (depth to vary based on depth of lost circulation zone).
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
- Cement the casing annulus to surface. Top out jobs to be performed if needed. Depending to depth of top of
  cement in the annulus, a 1" tubing string may or may not be utilized.

					<u>Hole</u>	<u>Cement</u>	
<u>Type</u>	Sacks 5	<u>Interval</u>	<b>Density</b>	Yield Yield	<u>Volume</u>	Volume	Excess
Lead	252	0'-1,500'	11.0 ppg	3.82 CFS	619 CF	835 CF	35%
Tail	219	1,500'-2,000'	15.6 ppg	1.18 CFS	220 CF	297 CF	35%
Top Out	100	0'-200'	15.6 ppg	1.18 CFS	95 CF	118 CF	24% (if required)
Lead Miv	Drem	ium Pluc V bland	Bland includ	es Closs "C" es	mont gol colt a	-ilaawita	

Lead Mix: Premium Plus V blend. Blend includes Class "G" cement, gel, salt, gilsonite.

Slurry yield: 3.82 cf/sack Slurry weight: 11.00 #/gal.

Water requirement: 22.95 gal/sack

Tail Mix: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

Top Out: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

#### c. Production Casing Cement:

- Drill 7-7/8" hole to 8,375'±, run and cement 5 1/2".
- Cement interface is at 4,000°, which is typically 500°-1,000° above shallowest pay.
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 3% KCL.

					<u>Hole</u>	<u>Cement</u>	
<u>Type</u>	Sacks 8 1	<u>Interval</u>	<b>Density</b>	Yield	<u>Volume</u>	Volume	Excess
Lead	160	3,700'-4,700'	11.5 ppg	3.12 CFS	175 CF	350 CF	100%
Tail	435	4,700'-8,375'	13.0 ppg	1.75 CFS	473 CF	946 CF	100%

Note: A caliper log will be ran to determine cement volume requirements.

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry yield: 3.12 cf/sack Slurry weight: 11.60 #/gal.

Water requirement: 17.71 gal/sack Compressives @ 130°F: 157 psi after 24 hours

Tail Mix: Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

& HR-5.

Slurry yield: 1.75 cf/sack Slurry weight: 13.00 #/gal.

Water requirement: 9.09 gal/sack Compressives @ 165°F: 905 psi after 24 hours

#### 13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: December 1, 2005

Duration: 14 Days

#### SURFACE USE PLAN

#### **CONDITIONS OF APPROVAL**

#### Attachment for Permit to Drill

Name of Operator:

**Dominion Exploration & Production** 

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

LCU 11-17H

1986' FSL & 2106' FWL Section 17-11S-20E Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The federal onsite inspection for the referenced well was conducted on Friday, May 20, 2005 at approximately 11:30 pm. In attendance at the onsite inspection were the following individuals:

Ken Secrest John Floyd

Foreman

Dominion E & P. Inc.

Stan Olmstead Karl Wright

Surveyor Nat. Res. Prot. Spec. Uintah Engineering and Land Surveying Bureau of Land Management - Vernal

**Amy Torres** 

Nat. Res. Prot. Spec.

Bureau of Land Management - Vernal

**Biologist** 

Bureau of Land Management - Vernal

#### 1. **Existing Roads:**

- The proposed well site is located approximately 15.94 miles south of Ouray, UT. a.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- The use of roads under State and County Road Department maintenance are necessary to c. access the Little Canyon Unit. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate e. with road and weather conditions.
- f. Since no improvements are anticipated to the State, County, Tribal or BLM access roads no topsoil striping will occur.
- An off-lease federal Right-of-Way is not anticipated for the access road or utility corridor g. since both are located within the existing Little Canyon Unit boundary.

#### 2. Planned Access Roads:

- a. From the proposed LCU 15-9H access road an access is proposed trending southwest approximately 1.6 miles to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages. A road design plan is not anticipated at this time.
- b. The proposed access road will consist of a 24' travel surface within a 40' disturbed area.
- c. BLM approval to construct and utilize the proposed access road is requested with this application.
- d. A maximum grade of 10% will be maintained throughout the project with minor cuts and fills required to access the well.
- e. No turnouts are proposed since the access road is only 1.6 miles long and adequate site distance exists in all directions.
- One low water crossings is anticipated. Adequate drainage structures will be incorporated into the road.
- g. No surfacing material will come from federal or Indian lands.
- h. No gates or cattle guards are anticipated at this time.
- Surface disturbance and vehicular travel will be limited to the approved location access road.
- j. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards</u> for Oil and Gas Exploration and Development, (1989).
- k. The operator will be responsible for all maintenance of the access road including drainage structures.

#### 3. <u>Location of Existing Wells</u>:

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

#### 4. <u>Location of Production Facilities</u>:

- All permanent structures will be painted a flat, non-reflective Desert Brown to match the standard environmental colors. All facilities will be painted within six months of installation.
   Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3
   will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.
- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A buried gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the northeast side of the well site and traverse 8,400' northeast to the proposed 8" or less pipeline corridor that will service the west LCU area.
- i. The new gas pipeline will be an 8" or less steel buried line within a 50' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 8,400' is associated with this well.
- j. The line will be buried unless conditions exist during construction require the pipeline to be surface laid.
- k. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

#### 5. <u>Location and Type of Water Supply:</u>

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

#### 6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

#### 7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.

- c. The reserve pit will be located outboard of the location and along the southeast side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.
- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed
  of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

#### 8. Ancillary Facilities:

 Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

#### 9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the northeast.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors, and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- Pits will remain fenced until site cleanup.
- 1. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

#### 10. Plans for Restoration of the Surface:

- Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On and BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- c. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours.

- d. The cut and fill slopes and all other disturbed areas not needed for the production operation will be top soiled and re-vegetated. The stockpiled topsoil will be evenly distributed over the disturbed area.
- e. Prior to reseeding the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix will be detailed within their approval documents.

#### 11. Surface and Mineral Ownership:

- a. Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

#### 12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
  - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
  - b. A low water crossing will be constructed along the access road between the LCU 7-17H and the LCU 11-17H.

#### 13. Operator's Representative and Certification

 Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

#### Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


Signature: Don Hamilton Date: 10-17-05

## DOMINION EXPLR. & PROD., INC. LCU #11-17H SECTION 17, T11S, R20E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY APPROXIMATELY 6.6 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE #15-9H TO THE SOUTHEAST; FOLLOW ROAD FLAGS IN A SOUTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.1 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE SOUTH: FOLLOW ROAD FLAGS IN A SOUTHERLY. THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 1.6 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 52.2 MILES.





## DOMINION EXPLR. & PROD., INC.

LCU #11-17H LOCATED IN UINTAH COUNTY, UTAH SECTION 17, T11S, R20E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

**CAMERA ANGLE: NORTHWESTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS FOR THE #15-9H CAMERA ANGLE: SOUTHEASTERLY





Uintah Engineering & Land Surveying S South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


**LOCATION PHOTOS** 


05 03 05 MONTH DAY YEAR TAKEN BY: D.A. DRAWN BY: C.P. REVISED: 00-00-00


**РНОТО** 














## BOP STACK - 3000 # -



## CHOKE MANIFOLD - 3000 #



APD RECEIVED: 10/20/2005	API NO. ASSIGNED: 43-047-37285
WELL NAME: LCU 11-17H	
OPERATOR: DOMINION EXPL & PROD ( N1095 )	
CONTACT: DON HAMILTON	PHONE NUMBER: 435-650-1886
PROPOSED LOCATION:  NESW 17 110S 200E  SURFACE: 1986 FSL 2106 FWL  BOTTOM: 1986 FSL 2106 FWL  UINTAH  UNDESIGNATED ( 2 )  LEASE TYPE: 1 - Federal  LEASE NUMBER: UTU-76265  SURFACE OWNER: 1 - Federal  PROPOSED FORMATION: MVRD  COALBED METHANE WELL? NO	INSPECT LOCATN BY: / /  Tech Review Initials Date  Engineering  Geology  Surface  LATITUDE: 39.85855  LONGITUDE: -109.7038
П	HONGITODE: ~109.7038
Plat  Bond: Fed[1] Ind[] Sta[] Fee[]  (No. 76S630500330 )  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 43-10447 )  RDCC Review (Y/N)  (Date: )  AA Fee Surf Agreement (Y/N)  Intent to Commingle (Y/N)	LOCATION AND SITING:
STIPULATIONS: 1- Federal approx  2- Spacing Stip	



## **United States Department of the Interior**

#### BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155

P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

October 25, 2005

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2005 Plan of Development Little Canyon Unit Uintah County,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2005 within the Little Canyon Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ Mesaverde)

43-047-37286 LCU 7-17H Sec 17 T11S R20E 1976 FNL 2171 FEL 43-047-37285 LCU 11-17H Sec 17 T11S R20E 1986 FSL 2106 FWL

This office has no objections to permitting the wells at this time.

/s/ Michael L. Coulthard

hee

File - Little Canyon Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron



State of Utah

Department of **Natural Resources** 

> MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

> JOHN R. BAZA Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

October 25, 2005

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Little Canyon Unit 11-17H Well, 1986' FSL, 2106' FWL, NE SW, Re: Sec. 17, T. 11 South, R. 20 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37285.

Sincerely,

Gil Hunt

Associate Director

pab **Enclosures** 

cc:

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.				
Well Name & Number	Little Canyon Unit 11-17H				
API Number:	43-047-37285				
Lease:	UTU-76265				
Location: <u>NE SW</u>	Sec. 17	<b>T.</b> 11 South	<b>R.</b> 20 East		

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Form 3160-5 (August, 2599)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires: November 30, 2000

5.	Lease S
----	---------

Lease Serial No. UTU-76265

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

THE STREET STREET	CATE - Olijse Instructions yn r	gerse stack	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well	AANE	INCUTION	Little Canyon Unit
Oil Well X Gas Wel	1 Other		8. Well Name and No.
2. Name of Operator		I EA FUNA E DE RAM	LCU 11-17H
•	DODUCTION INC		9. API Well No.
DOMINION EXPLORATION & P		one No. (include area cod	43-047-37285
3a. Address Suite ( 14000 QUAIL SPGS PKWY, OK	500	5-749-1300	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M.			
· -			Natural Buttes
1986' FSL & 2106' FWL	NESW, Sec. 17-11S-20E		11. County or Parish, State
			Uintah Co., Utah
A CONTROL A DEPONDATION	POW(DO) TO DIDICATE NAT	LIDE OF NOTICE	
<del></del>	BOX(ES) TO INDICATE NAT		
TYPE OF SUBMISSION		TYPE OF AC	TION
Notice of Intent	Acidize Deepe	n Produc	ction (Start/Resume) Water Shut-Off
	Altering Casing Fractu	re Treat Reclan	nation Well Integrity
Subsequent Report	Casing Repair New C	onstruction Recom	· • • • • • • • • • • • • • • • • • • •
<del>-</del>	Change Plans Plug at	nd Abandon Tempo	orarily Abandon APD Extension
Final Abandonment Notice	Convert to Injection Plug B	ack Water	Disposal
determined that the site is ready for fin The State APD for this well			requesting a one year extension.
	Utah Divis	ion of	RECEIVED
	Oil, Gas and	Mining	OCT 0 2 2006
	Date: 10-02  Bv: Pull	-og Dulk(f)	DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true Name (Printed/Typed)	and correct	House	
Carla Christian		11/1	Title Sr. Regulatory Specialist
Signature ( )	intian		Date 26-Sep-06
Statistics with a statistic Tr	IS SPACE FOR FEDERAL	OR STATE OF	TOBUSE S THE PARTY OF THE
Approved by		Title	Date
Conditions of approval, if any, are attach certify that the applicant holds legal or which would entitle the applicant to cond	equitable title to those rights in the s	warrant or ubject lease Office	
Title 18 U.S.C. Section 1001 and Title 43 United States any false, fictitious or frau	3 U.S.C. Section 1212, makes it a crim	ne for any person know as to any matter within	vingly and willfully to make to any department or agency of the its jurisdiction.

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

Nell Name: LCU 11-17H
Location: Section 17-11S-20E, 1986' FSL & 2106' FWL
Company Permit Issued to: Dominion Exploration & Production, Inc.
Date Original Permit Issued: 10/25/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be
verified.
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right- of-way, which could affect the proposed location? Yes□No☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
s bonding still in place, which covers this proposed well? Yes☑No□
Carla Mustian 9/26/2006
Signature Date
Title: Sr. Regulatory Specialist
Representing: Dominion Exploration & Production, Inc.

### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

ROUTING 1. DJJ 2. CDW

<b>X</b> -	Change	of O	perator (	(Well	Sol	d)

Operator Name Change/Merger

A - Change of Operator (Wen Sold)		Орста	ioi ivallic	Change/Merg	,C1			
The operator of the well(s) listed below has chang			7/1/2007					
FROM: (Old Operator):				<b>TO:</b> ( New O <sub>1</sub>	perator):			
N1095-Dominion Exploration & Production, Inc	N2615-XTO Energy Inc							
14000 Quail Springs Parkway, Suite 600					uston St			
Oklahoma City, OK 73134				Fort W	orth, TX 76	5102		
• ,					,			
Phone: 1 (405) 749-1300				Phone: 1 (817)	870-2800			
CA No.				Unit:		LITTLE CA	ANYON	
	SEC	TWN	RNG	API NO	ENTITY	LEASE TYPE		WELL
(1,22,2,1,1,2,2,2,2,2,2,2,2,2,2,2,2,2,2,		_ ,,,	. 10.0		NO		TYPE	STATUS
SEE ATTACHED LIST			l					
OPERATOR CHANGES DOCUMENTA Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The new company was checked on the Department	s reco	eived f	rom the	NEW operator	on:	8/6/2007 8/6/2007		8/6/2007
4a. Is the new operator registered in the State of U		01 001		Business Numb	-	5655506-0143		
				·	JC1.	3033300-0143		
		d am.		IN PLACE			•	
5a. (R649-9-2)Waste Management Plan has been re					-			
5b. Inspections of LA PA state/fee well sites compl				n/a	-			
5c. Reports current for Production/Disposition & S				ok	_			
6. Federal and Indian Lease Wells: The BL	M an	id or th	ie BIA ł	nas approved the	e merger, na	me change,		
or operator change for all wells listed on Federa 7. Federal and Indian Units:	al or l	Indian	leases o	on:	BLM		BIA	-
The BLM or BIA has approved the successor	of w	nit ope	rator for	r wells listed on	:			
8. Federal and Indian Communization Ag	reen	ents (	("CA"	<b>)</b> :				
The BLM or BIA has approved the operator f	for al	l wells	listed v	vithin a CA on:				
9. Underground Injection Control ("UIC"	)		The Di	ivision has appre	oved UIC F	orm 5, Transfer	of Auth	ority to
Inject, for the enhanced/secondary recovery un	it/pro	ject fo	r the wa	ater disposal we	ll(s) listed o	n:		
DATA ENTRY:	-			-				-
1. Changes entered in the Oil and Gas Database	on:			9/27/2007				
2. Changes have been entered on the Monthly Op		or Cha	ange Sp		-	9/27/2007	_	
3. Bond information entered in RBDMS on:				9/27/2007	_		•	
4. Fee/State wells attached to bond in RBDMS on	:			9/27/2007	_	•		
5. Injection Projects to new operator in RBDMS of				9/27/2007	_			
6. Receipt of Acceptance of Drilling Procedures for	or Al	PD/Nev	w on:		9/27/2007	-		
BOND VERIFICATION:								
1. Federal well(s) covered by Bond Number:				UTB000138	_			
2. Indian well(s) covered by Bond Number:				n/a	_			
3a. (R649-3-1) The <b>NEW</b> operator of any state/fe	e wel	ll(s) lis	ted cov	ered by Bond N	umber	104312762	_	
3b. The FORMER operator has requested a release	e of l	iability	from t	heir bond on:	1/23/2008	•		
The Division sent response by letter on:								
LEASE INTEREST OWNER NOTIFIC	AT	ION:						
4. (R649-2-10) The NEW operator of the fee wells					y a letter from	om the Division		
of their responsibility to notify all interest owner	rs of	this ch	ange on	:				
COMMENTS:								

## N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304736892	LCU 5-9H	SWNW	09			UTU-34350		Federal	GW	APD
4304736893	LCU 5-17H	SWNW	17	· · · · · · · · · · · · · · · · · · ·	<del> </del>	UTU-76265		Federal		APD
4304736896	LCU 11-9H	NESW	09			UTU-76265		Federal	GW	APD
4304737059	LCU 2-17H	NWNE	17			UTU-76265		Federal	GW	APD
4304737285	LCU 11-17H	NESW	17			UTU-76265		Federal	OW	APD
4304737286	LCU 7-17H	SWNE	17		-	UTU-76265		Federal	OW	APD
4304737448	LCU 9-8H	NESE	08		<del> </del>	UTU-76265		Federal	OW	APD
4304737653	LCU 14-9H	SESW	09			UTU-76265		Federal	GW	APD
4304737997	LCU 9-10H	NESE	10			UTU-44089		Federal	GW	APD
4304738069	LCU 8-35F	SENE	35			U-01470D	-	Federal	GW	APD
4304738070	LCU 12-35F	NWSW	35			U-01470D		Federal	GW	APD
4304738071	LCU 15-35F	SWSE	35			U-01470D		Federal	GW	APD
4304738072	LCU 16-35F	SESE	35			U-01470D		Federal	GW	APD
4304738073	LCU 1-1H	NENE	01		.1	UTU-76264		Federal		APD
4304738074	LCU 9-9H	NWSE	09			UTU-76265		Federal	GW	APD
4304738093	LCU 9-1H	NESE	01			UTU-73436		Federal		APD
4304738094	LCU 6-1H	SENW	01			UTU-76264		Federal	ļ	APD
4304738095	LCU 4-1H	NWNW	01			UTU-76264		Federal	GW	APD
4304738096	LCU 3-1H	NENW	01			UTU-76264		Federal		APD
4304738097	LCU 15-1H	SWSE	01			UTU-73436		Federal	GW	APD
4304738098	LCU 10-1H	NWSE	01			UTU-73436		Federal	GW	APD
4304738183	LCU 6-35F	SENW	35			U-01470C		Federal	GW	APD
4304738184	LCU 8-9H	NWSE	09			UTU-34350		Federal	GW	APD
4304738185	LCU 8-1H	SENE	01		<del> </del>	UTU-76264		Federal	GW	APD
4304738296	LCU 3-17H	NENW	17			UTU-76265				APD
4304738297	LCU 12-17H	NWSW	17			UTU-76265		Federal	GW	APD
4304738298	LCU 13-17H	swsw	17			UTU-76265		Federal		APD
4304738379	LCU 2-3H	NWNE	03			UTU-44090-A		Federal		NEW
4304738419	LCU 16-10H	SESE	10	110S	200E	UTU-44089		Federal	GW	APD
4304738420	LCU 5-11H	SWNW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738421	LCU 10-11H	NWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738422	LCU 13-11H	SWSW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738423	LCU 15-11H	SWSE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738424	LCU 16-11H	SESE	11	110S	200E	UTU-73436		Federal	GW	APD
4304738503	LCU 4-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738504	LCU 5-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738505	LCU 6-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738676	LCU 12-9H	NWSW	09	110S	200E	UTU-76265		Federal	GW	APD
4304738677	LCU 6-9H	SENW	09	110S	200E	UTU-34350		Federal	GW	APD
4304738678	LCU 4-11H	NWNW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738679	LCU 9-12H	NESE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738682	LCU 14-6G	SESW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738683	LCU 13-6G	SWSW	06	110S	210E	UTU-81728		Federal	GW	APD
4304738684	LCU 10-6G	NWSE	06	110S	210E	UTU-81728		Federal	GW	APD
4304738685	LCU 5-6G	SWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738686	LCU 4-6G	NWNW	06	110S	210E	UTU-75700		Federal	GW	APD
4304738687	LCU 7-6G	SWNE	06	110S	210E	UTU-075700		Federal	GW	APD
4304738688	LCU 3-6G	NENW	06	110S	210E	UTU-075700		Federal	GW	APD

1 09/27/2007

## N1095 DOMINION E and P, INC. to N2615 $\,$ XTO ENERGY, INC.

api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304738784	LCU 11-35F	NESW	35	100S		UTU-82703		Federal	GW	APD
4304738788	LCU 6-10H	SENW	10	110S	200E	UTU-44089		Federal	GW	APD
4304738789	LCU 13-10H	SWSW	10	110S	200E	UTU-44089		Federal	GW	APD
4304738790	LCU 11-11H	SESW	11	110S	200E	UTU-73436		Federal	GW	APD
4304738791	LCU 3-12H	NENW	12	110S	200E	UTU-73436		Federal	GW	APD
4304738892	LCU 7-10H	SWNE	10	110S	200E	UTU-44089		Federal	GW	APD
4304738893	LCU 1-12H	NENE	12	110S	200E	UTU-73436		Federal	GW	APD
4304738946	LCU 13-1H	NWSW	01	110S	200E	UTU-73436		Federal	GW	APD
4304738947	LCU 16-12H	SESE	12	110S	200E	UTU-73436	····	Federal	GW	APD
4304739050	LCU 15-4H	SWSE	04	110S	200E	UTU-81430	1	Federal	GW	APD
4304739158	LCU 15-3H	SWSE	03	110S	200E	UTU-34350		Federal	GW	APD
4304739159	LCU 5-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739160	LCU 4-3H	NENE	04	110S	200E	UTU-44090-A		Federal	GW	APD
4304739161	LCU 8-8H	SENE	08	110S	200E	UTU-81430		Federal	GW	APD
4304739220	LCU 9-35F	NESE	35	100S	200E	UTU-82703		Federal	GW	APD
4304739221	LCU 7-35F	SWNE	35	100S	200E	UTU-82703		Federal	GW	APD
4304739224	LCU 14-10H	SESW	10	110S	200E	UTU-44089		Federal	GW	APD
4304739225	LCU 3-10H	NENW	10	110S	200E	UTU-44089		Federal	GW	APD
4304736773	LCU 6-16H	SENW	16	110S	200E	ML-48772		State	GW	APD
4304736808	LCU 13-12H	SWSW	12	110S	200E	FEE		Fee	GW	APD
4304736809	LCU 12-16H	NWSW	16	110S	200E	ML-48772		State	GW	APD
4304738027	LCU 1-2H	NENE	02	110S	200E	ML-48771		State	GW	APD
4304738255	LCU 6-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738272	LCU 3-2H	SENW	02	110S	200E	ML-48771		State	GW	APD
4304738343	LCU 14-2H	SESW	02	110S	200E	ML-48771		State	GW	APD
4304738675	LCU 16-2H	NWSW	01	110S	200E	ML-48771		State	GW	APD
4304738680	LCU 10-16H	NWSE	16			ML-48772		State	GW	APD
4304738681	LCU 14-16H	SESW	16	110S	200E	ML-48772		State	GW	APD
4304738785	LCU 5-36F	SWNW	36	100S	200E	ML-47391		State	GW	APD
4304739173	LCU 13-16H	SWSW	16	110S	200E	ML-48772		State	GW	APD
4304739174	LCU 11-16H	NESW	16	110S	200E	ML-48772		State	GW	APD
4304739223	LCU 4-16H	NWNW	16	110S	200E	ML-48772		State	GW	APD

2 09/27/2007

#### STATE OF UTAH

This space for State use only)  APPROVED 9131107	RECEIVED AUG 0 6 2007
SIGNATURE Ecleven & Lipen. The DATE 7/31/2007	
NAME (PLEASE PRINT) Edwin S. Ryan, Jr. TITLE Sr. Vice Preside	ent - Land Administration
Please be advised that XTO Energy Inc. is considered to be the operator on the attache under the terms and conditions of the lease for the operations conducted upon the lease is provided by Nationwide BLM Bond #104312750 and Department of Natural Resource	e lands. Bond coverage
James D. Abercrombie Sr. Vice President, General Manager - Western Business Unit	
Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134	
<ol> <li>DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume</li> <li>Effective July 1, 2007, XTO Energy Inc. has purchased the wells listed on the attachment</li> </ol>	
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS  RECLAMATION OF WELL SITE	WATER SHUT-OFF  OTHER:
SUBSEQUENT REPORT (Submit Original Form Only)  CHANGE WELL NAME  PLUG BACK  PROPRIOTION (STARTISTICAL PROPRIOTION (STARTIS	WATER DISPOSAL
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION  CHANGE TO PREVIOUS PLANS  OPERATOR CHANGE	TEMPORARILY ABANDON  TUBING REPAIR
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
✓ NOTICE OF INTENT ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
TYPE OF SUBMISSION TYPE OF ACTION	JAT, OR OTHER DATA
CUEOU ADDDODDIATE DOVED TO INDIGATE MATURE OF MOTIOE DED	UTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	COUNTY: Uintah
4. LOCATION OF WELL  FOOTAGES AT SURFACE: SEE ATTACHED	
3. ADDRESS OF OPERATOR: 810 Houston Street CITY Fort Worth STATE TX ZIP 76102 PHONE NUMBER: (817) 870-2800	10. FIELD AND POOL, OR WILDCAT:  Natural Buttes
XTO Energy Inc. N3615	SEE ATTACHED
2. NAME OF OPERATOR:	SEE ATTACHED  9. API NUMBER:
drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.  1. TYPE OF WELL  GAS WELL  OTHER	8. WELL NAME and NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to	7. UNIT or CA AGREEMENT NAME:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
DEPARTMENT OF NATURAL RESOURCES	

クノ

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

### **Request to Transfer Application or Permit to Drill**

	(This form should ac	company a Sundry	/ Notice, Form 9, requ	esting AFD transfer/		
Well	name:	SEE ATTACH	IED LIST			
API	number:					
Loca	ation:	Qtr-Qtr:	Section	Township Range		
Com	pany that filed original application:	DOMINION E	&P			
Date	original permit was issued:					
Com	pany that permit was issued to:	DOMINION	E&P			
Check one		Des	ired Action:			
Offe						
	Transfer pending (unapproved) App	olication for Pe	ermit to Drill to ne	ew operator		
	The undersigned as owner with legal r submitted in the pending Application for owner of the application accepts and a	or Permit to Dril	l, remains valid ar	nd does not require revision. The	new	
1	Transfer approved Application for F	Permit to Drill t	o new operator	· 		
	The undersigned as owner with legal r information as submitted in the previous revision.	ights to drill on usly approved a	the property as peoplication to drill,	ermitted, hereby verifies that the remains valid and does not requi	re	
Follo	owing is a checklist of some items rel	ated to the ap	plication, which	should be verified.	Yes	No
If loc	ated on private land, has the ownership	changed?				1
	If so, has the surface agreement been		and the company of the contract of the contrac	etiseliset attioriationis Nether deservative programmente destructure at the terrementation accommunity let the 1971 of 1970		
Have	e any wells been drilled in the vicinity of irements for this location?		ell which would af	fect the spacing or siting		✓
Have	e there been any unit or other agreemen osed well?	ts put in place t	hat could affect th	e permitting or operation of this		✓
	e there been any changes to the access osed location?	route including	ownership or righ	t-of-way, which could affect the		✓
Has	the approved source of water for drilling	changed?				✓
Have	e there been any physical changes to the s from what was discussed at the onsite	e surface location?	on or access route	which will require a change in		✓
	onding still in place, which covers this pro		ond No. 1043127	762	1	
Any shou nece Nam	desired or necessary changes to either ald be filed on a Sundry Notice, Form 9, essary supporting information as required to the please of the please of the control of the	a pending or ap or amended Ap	proved Application plication for Perm	n for Permit to Drill that is being to it to Drill, Form 3, as appropriate, TORY COMPLIANCE TECH	ransfei with	rred,
	resenting (company name) XTO ENERG	SY INC.	Date			
Kebi	resenting (company name)			Processing the second		

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

AUG 3 0 2007

(3/2004)



## United States Department of the Interior

# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

Dominion Exploration & Production, Inc. Attn: James D. Abercrombie 14000 Quail Springs Parkway, #600 Oklahoma City, OK 73134-2600

August 10, 2007

Re:

Little Canyon Unit Uintah County, Utah

#### Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the Little Canyon Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Little Canyon Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

RECEIVED AUG 1 6 2007

### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCE		SAGE SEE CHARLES AND SERVE AUTOR
DIVISION OF OIL, GAS AND MININ	<u> </u>	LEASE DESIGNATION AND SERIAL NUMBER: JTU-76265
SUNDRY NOTICES AND REPORTS O	N WELLS	IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current be drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for	ofform-hale depth reenter plugged wells, or to	UNIT OF CA AGREEMENT NAME: Little Canyon Unit
1. TYPE OF WELL OIL WELL GAS WELL . OTHER		WELL NAME and NUMBER: CU 11-17H
2. NAME OF OPERATOR:	!	API NUMBER:
XTO Energy 3 ADDRESS OF OPERATOR:		304737285 FIELD AND POOL, OR WILDCAT:
P.O. Box 1360 CITY Roosevelt CO ZIP 84	1	Natural Buttes
4 LOCATION OF WELL FOOTAGES AT SURFACE: 1.986' FSL & 2,106' FWL	co	римту: Üintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESW 17 11S 20E	S st	rate: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPORT	OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)  ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only)	PLUG BACK	WATER DISPOSAL
Date of work completion:	PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ other: Permit Extension
CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertia	nent details including dates, depths, volumes, e	etc.
XTO Energy hereby requests a one year extension of the state	e permit for the referenced well.	
This is the second extension that has been requested.		
	Approved by the	
	Utah Division of	
	Oil, Gas and Mining	
	Date: 10-10-07	1
	Dans Dans	T
	By: New York	<u>×</u>
	$\mathcal{M}$	•
	•	
NAME (PLEASE PRINT) Marnie Griffin	Agent for XTO Ene	rgy
MI	DATE 10/3/2007	
SIGNATURE	DATE 10/3/2007	
This course for State use only)		ECELVEDI
(This space for State use only)	ייליוו	

(See Instructions on Reverse Side)

(5/2000)

DIV OF OIL, GAS & MINING

## Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304737285  Well Name: LCU 11-17H  Location: 17 11S 20E 1,986' FSL & 2,106' FWL  Company Permit Issued to: XTO Energy
Date Original Permit Issued: 10/28/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No ☑
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes □ No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
10/3/2.007   Signature   Date
Title: Agent
Representing: XTO Energy

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU. CAS AND MINISTER

	DIVISION OF OIL, GAS AND MI		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill ne	w wells, significantly deepen existing wells below curerals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Little Canyon Unit
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO Energy, Inc.			9. API NUMBER: 4304737285
3. ADDRESS OF OPERATOR:	D IT	PHONE NUMBER:	19. FIELD AND POOL, OR WILDCAT:
P.O. Box 1360 CITY  4. LOCATION OF WELL	Roosevelt STATE UT ZIF	,84066 (435) 722-4521	Undesignated
FOOTAGES AT SURFACE: 1,986'	FSL & 2,106' FWL		COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN: 17 11S 2	20E S	STATE: UTAH
11. CHECK APPR	OPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
[7] ALICOCOLIENT DEDODE	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE WATER DISPOSAL
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER SHUT-OFF
Date of work completion:	CHANGE WELL STATUS  COMMINGLE PRODUCING FORMATIONS	PRODUCTION (START/RESUME)  RECLAMATION OF WELL SITE	OTHER: Permit Extension
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO		pertinent details including dates, depths, volu	
XTO Energy, Inc. hereby r	requests a one year extension o	of the state permit for the reference	
This is the third extension	that has been requested.	Appro	ved by the Division of
		Utah I	Division of
		Oli, Gas	and Mining
		Date: /0/	30/08
			100
		Ву: 🕽	
			- Carrier
			$\mathcal{O}$
	with the same of t		
NAME (PLEASE PRINT) Kendell Jo	ohnson	TITLE Agent for XTO	Energy, Inc.
Kondal	11 h h m Aran	9/22/2008	
SIGNATURE A LINCOLL	STATISTICAL I	DATE SIZZIZOGO	
(This space for State use only)	_	Tr.	) ECEIVED
COPY SI	ENT TO OPERATOR	hus Tree	
	0.30.2008	structions on Reverse Side)	OCT 2 7 2008
Initials:	<u> </u>		IV OF OIL, GAS & MINING



API:

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304737 Well Name: LCU 11 Location: 1,986' F Company Permit Iss Date Original Permit	-17H 'SL & 2,106' FWL Sec. 17, sued to: XTO Energy,		
above, hereby verifies	s that the information	to drill on the property as pe as submitted in the previously and does not require revision	y
Following is a checkliverified.	st of some items relat	ed to the application, which s	hould be
If located on private la agreement been upda		ip changed, if so, has the sur	face
Have any wells been the spacing or siting r	-	of the proposed well which wo ocation? Yes⊡ No ☑	uld affect
Has there been any upermitting or operation	_	nts put in place that could affe ll? Yes⊡ No⊠	ect the
Have there been any of-way, which could a	_	ss route including ownership, cation? Yes⊡No ☑	or right-
Has the approved so	urce of water for drillir	ng changed? Yes⊟No⊠	
	nange in plans from w	the surface location or access that was discussed at the ons	
Is bonding still in plac	ce, which covers this p	proposed well? Yes⊠No□	
Klwdll (	physon	9/22/2008 Date	
Title: Kendell Johnson			•
Representing: XTO	Energy, Inc.		-

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	IG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUND	RY NOTICES AND REPORTS OF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen exisugged wells, or to drill horizontal laterals. Use a		7.UNIT OF CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1986 FSL 2106 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 17	IP, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: 10/30/2010  SUBSEQUENT REPORT Date of Work Completion:  SPUD REPORT Date of Spud:  DRILLING REPORT Report Date:	ACIDIZE  CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF  WILDCAT WELL DETERMINATION	ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SI TA STATUS EXTENSION OTHER	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:
	OMPLETED OPERATIONS. Clearly show all pertine ests a one year extension on the referenced well.	State Permit for the	
NAME (PLEASE PRINT) Eden Fine	<b>PHONE NUMBER</b> 505 333-3664	TITLE Permitting Clerk	
SIGNATURE N/A		<b>DATE</b> 10/22/2009	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 Well Name: LCU 11-17H

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S

**Company Permit Issued to:** XTO ENERGY INC **Date Original Permit Issued:** 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

intormat uire revis	sion as submitted in the sion. Following is a ch	ecklist of some item	s related to the ap	plication, which should be verified.
	nted on private land, h ed? 📗 Yes 🌘 No	as the ownership ch	anged, if so, has tl	he surface agreement been
	any wells been drilled requirements for this			nich would affect the spacing or
	nere been any unit or		it in place that cou	ld affect the permitting or operation
	there been any chang the proposed location		e including owners	ship, or rightof- way, which could
• Has th	ne approved source of	water for drilling ch	anged? 📗 Yes (	No No
	there been any physic e in plans from what			ccess route which will require a ? 📋 Yes 📵 No
• Is bor	nding still in place, wh	ich covers this prop	osed well? 🌘 Ye	Approved by the s No Utah Division of Oil, Gas and Mining
nature:	Eden Fine	<b>Date:</b> 10/22/2009		
Title:	Permitting Clerk Repre	senting: XTO ENERG	Y INC	Date: October 26, 2009
	-	-		By: Daly Ill

Sig

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUND	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen ugged wells, or to drill horizontal laterals. I	n existing wells below current Use APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NE NUMBER:	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1986 FSL 2106 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 17	IP, RANGE, MERIDIAN: Township: 11.0S Range: 20.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 9/28/2011	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS ☐ FRACTURE TREAT	☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	□ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	rtinent details including dates, depths, v	volumes, etc.
XTO hereby reques	ts a one (1) year extension o	n the State Permit for the	
	referenced well.		Approved by the
			Utah Division of Oil, Gas and Mining
			on, cas and rining
		D	ate: September 29, 2010
		D	R Decil VI
		D	A: Tree Area
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Kelly Small	505 333-3145	Sr. Permitting Tech	
SIGNATURE N/A		<b>DATE</b> 9/28/2010	



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 **Well Name:** LCU 11-17H

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a checkli	ist of some items	related to the app	lication, wh	ich should be verified.
	ated on private land, has tl ed? 🔵 Yes 🏿 No	ne ownership cha	nged, if so, has the	e surface ag	reement been
	any wells been drilled in the requirements for this located in the requirements for this located in the requirements for the requirements are required in the requirements and requirements are required in the requirements.			ch would af	fect the spacing or
	nere been any unit or others proposed well?		in place that could	d affect the	permitting or operation
	there been any changes to the proposed location?		including ownersh	nip, or right	of- way, which could
• Has th	ne approved source of wat	er for drilling cha	nged? 🔵 Yes 🌘	) No	
	there been any physical ch je in plans from what was				
• Is bor	nding still in place, which c	overs this propos	ed well? 📵 Yes	No U	proved by the tah Division of Gas and Mining
Signature:	Kelly Small	<b>Date:</b> 9/28/2010	)		
Title:	Sr. Permitting Tech Represe	enting: XTO ENER	GY INC	Date:	September 29, 2010
	•	_		F	n0.en/ 110

Sundry Number: 19238 API Well Number: 43047372850000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDF	RY NOTICES AND REPORTS (	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e ugged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1986 FSL 2106 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 17	IP, RANGE, MERIDIAN: 'Township: 11.0S Range: 20.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE [	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
10/5/2012	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	□ WILDCAT WELL DETERMINATION [	OTHER	OTHER:
	DMPLETED OPERATIONS. Clearly show all perti equests a one (1) year extension referenced well.		ne
			Approved by the
			Utah Division of Oil, Gas and Mining
		D	Date: 10/13/2011
			Mar on I
		E	By: Doday Lill
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Krista Wilson	505 333-3647	Permitting Tech	
SIGNATURE N/A		<b>DATE</b> 10/5/2011	

Sundry Number: 19238 API Well Number: 43047372850000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 **Well Name:** LCU 11-17H

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes   No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Krista Wilson **Date:** 10/5/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 30991 API Well Number: 43047372850000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, N	M, 87410 505 333-314	PHONE NUMBER: 5 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1986 FSL 2106 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 17 Township: 11.0S Range: 20.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/31/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	all pertinent details including dates.	depths, volumes, etc.
I .	sts a one (1) year extension o		Approved by the
	referenced well.		Utah Division of Oil, Gas and Mining
			Date: October 15, 2012
			By: Basyll
NAME (PLEASE PRINT)	PHONE NUMB		
Richard L. Redus	303 397-3712	Regulatory	
SIGNATURE N/A		<b>DATE</b> 10/11/2012	

Sundry Number: 30991 API Well Number: 43047372850000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 **Well Name:** LCU 11-17H

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No</li> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No</li> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No</li> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No</li> <li>Has the approved source of water for drilling changed? Yes No</li> </ul>
requirements for this location? Yes No  • Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No  • Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
proposed well? Yes No  • Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
proposed location? 🔘 Yes 📵 No
• Has the approved source of water for drilling changed?  Yes  No
the site approved control of many control of the site
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 📵 Yes 🔵 No
Signature: Richard L. Redus Date: 10/11/2012
Title: Regulatory Representing: XTO ENERGY INC

Sundry Number: 43517 API Well Number: 43047372850000

	STATE OF UTAH		FORM 9	
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265	
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000	
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397-3	PHONE NUMBER: 3727 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED	
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH	
1986 FSL 2106 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 17 Township: 11.0S Range: 20.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR	
Approximate date work will start:  7/22/2014	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/22/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
I .	completed operations. Clearly show sts a one (1) year extension of referenced well.		Approved by the Utah Division of Oil, Gas and Mining  Date: October 16, 2013  By:	
NAME (PLEASE PRINT) Sephra Baca	<b>PHONE NUME</b> 719 845-2103	BER TITLE Regulatory Analyst		
SIGNATURE N/A		DATE 10/8/2013		

Sundry Number: 43517 API Well Number: 43047372850000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 **Well Name:** LCU 11-17H

Title: Regulatory Analyst Representing: XTO ENERGY INC

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ronowing is a checknist of some items related to the application, which should be verified.	
<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement</li> <li>Yes </li> <li>No</li> </ul>	t been updated? 🔵
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>	spacing or siting
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitt proposed well?</li> <li>Yes</li> <li>No</li> </ul>	ing or operation of this
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way proposed location?</li> <li>Yes</li> <li>No</li> </ul>	, which could affect the
• Has the approved source of water for drilling changed? 🔘 Yes 🃵 No	
<ul> <li>Have there been any physical changes to the surface location or access route which we plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>	ill require a change in
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🕡 No	
Signature: Sephra Baca Date: 10/8/2013	



#### **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT
Green River District
Vernal Field Office
170 South 500 East
Vernal, UT 84078
http://www.blm.gov/ut/st/en/fo/vernal.html



APR 11 2014

IN REPLY REFER TO: 3160 (UTG011)

Malia Villers XTO Energy, Inc. PO Box 6501 Englewood, CO 80155

43 047 37285

Re: Request to Return APD
Well No. LCU 11-17H
NESW, Sec. 17, T11S, R20E
Uintah County, Utah
Lease No. UTU-76265
Little Canyon Unit

Dear Ms. Villers:

The Application for Permit to Drill (APD) for the above referenced well received in this office on October 20, 2005, is being returned unapproved per your request to this office in an email message to Land Law Examiner Robin R. Hansen received on April 4, 2014. If you intend to drill at this location at a future date, a new APD must be submitted.

If you have any questions regarding APD processing, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Resource Minerals

**Enclosures** 

CC:

**UDOGM** 

bcc:

Well File

RECEIVED

APR 18 2014

DIV. OF OIL, GAS & MINING

Sundry Number: 55776 API Well Number: 43047372850000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	=S	
	DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76265
SUNDR	RY NOTICES AND REPORTS (	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: LITTLE CANYON
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: LCU 11-17H
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047372850000
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,		PHONE NUMBER: 727 Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1986 FSL 2106 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 17 Township: 11.0S Range: 20.0E Meridian: S			COUNTY: UINTAH
			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/30/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Nopon Suio.	WILDCAT WELL DETERMINATION	OTHER	OTHER:
XTO Energy reques	COMPLETED OPERATIONS. Clearly show a sts a one (1) year extension or referenced well.	f the State APD for the	·
NAME (PLEASE PRINT) Malia Villers	<b>PHONE NUMBE</b> 303 397-3670	ER TITLE Lead Permitting Analyst	
SIGNATURE N/A		<b>DATE</b> 9/18/2014	

Sundry Number: 55776 API Well Number: 43047372850000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047372850000

**API:** 43047372850000 **Well Name:** LCU 11-17H

Location: 1986 FSL 2106 FWL QTR NESW SEC 17 TWNP 110S RNG 200E MER S


Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 10/25/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?       Yes       No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
natura. Malia Villara Data. 0/19/2014

Signature: Malia Villers Date: 9/18/2014

Title: Lead Permitting Analyst Representing: XTO ENERGY INC





MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

October 15, 2015

Malia Villers XTO Energy Inc. P.O. BOX 6501 Englewood, CO 80155

43-047-37285

Re: APDs Rescinded for XTO Energy Inc., Uintah County

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded effective October 9, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

**Environmental Scientist** 

Well File cc:

Bureau of Land Management, Vernal



Operator <sup>*</sup>	API Number	Well Name:	Work Type	Date Approved	Date Permit Will Expire
XTO ENERGY INC	4304739647	RBU 16-20F	DRILL	10/04/2007	10/04/2015
XTO ENERGY INC	4304740375	RBU 22-21E	DRILL	10/09/2008	10/09/2015
XTO ENERGY INC	4304740376	RBU 27-21E	DRILL	10/09/2008	10/09/2015
XTO ENERGY INC	4304740377	RBU 28-21E	DRILL	10/09/2008	10/09/2015
XTO ENERGY INC	4304738676	LCU 12-9H	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738677	LCU 6-9H	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738678	LCU 4-11H	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738679	LCU 9-12H	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738682	LCU 14-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738683	LCU 13-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738684	LCU 10-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738685	LCU 5-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738686	LCU 4-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738687	LCU 7-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304738688	LCU 3-6G	DRILL	10/12/2006	10/12/2015
XTO ENERGY INC	4304740388	RBU 1-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740389	RBU 2-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740390	RBU 6-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740391	RBU 7-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740392	RBU 8-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740393	RBU 9-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740394	RBU 12-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740395	RBU 15-3F	DRILL	10/15/2008	10/15/2015
XTO ENERGY INC	4304740397	HCU 4-30F	DRILL	10/16/2008	10/16/2015
XTO ENERGY INC	4304737285	LCU 11-17H	DRILL	10/25/2005	10/25/2015
XTO ENERGY INC	4304737286	LCU 7-17H	DRILL	10/25/2005	10/25/2015